Realsun Foshan Realsun Decorative Material Co., Ltd.

Reliable PVC Furniture Film For Lamination Process Scratch

Basic Information

• Place of Origin: Foshan, China • Brand Name: Realsun Deco Minimum Order 3000m/model

Quantity:

• Price: Negotiable

· Packaging Details: Pack in roll

• Delivery Time: 15-20 days

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

• Supply Ability: 500000m/month



Product Specification

· Thickness: 0.1-0.5mm

Material: PVC

• Application: Furniture, Door, Cabinet, Wall, Profile,

Ceiling Etc.

• Feature: Waterproof, Anti Flame, Anti Scratch,

Antibacterial, Etc.

100-400m/roll • Length:

• Surface: Glossy, Matte, Embossed, Super Matte, Soft

Touchetc.

• Payment Term: T/T, L/C, Paypal, Etc.

• MOQ: 3000m/model

• Highlight: Lamination Process PVC Furniture Film,

PVC Furniture Film Scratch Proof

Reliable Furniture Film in Roll in PVC Material for Lamination Process

Product Description:

Material: The main component of our PVC foil is Polyvinyl Chloride (PVC), which is a synthetic plastic containing extraordinary strength, flexibility, and is easy to process.

Appearance: We offer a variety of colors, patterns, and textures for our PVC foil. It can imitate the appearance of natural materials such as wood, stone, cloth, or metal, but is more cost-effective and still of premium quality.

Adaptability: Our foil is suitable for different surfaces, like walls, doors, cabinets, and furniture. It can be applied to various interior spaces with great effect.

Durability: Realsun Deco PVC foil is well-known for its quality and durability. Therefore, it is often chosen for rooms with high foot traffic. Maintenance: Installed PVC foil does not require a lot of upkeep. You can easily maintain its condition by wiping it down with a wet cloth once a week

Economical: One of main positives of PVC decorative foil is its cost compared to other natural materials. It enables you to create an impressive effect while savings costs.

Modification: PVC foil is customizable with several styles and finishes offered by manufacturers. It can be adjusted to match the needs and design likes of the project.

Application: Decorative PVC foil are commonly used for wall paneling, furniture surfaces, retail displays, interior doors, kitchen and bathroom cabinets, and more. It is suited for both home and commercial applications.

Technical Parameters:

If you're looking for the perfect film for your project, llang laminate film offers a wide variety of thickness, width, length, designs, surfaces and services

The thickness of the laminate film ranges from 0.1mm to 0.5mm, which provides flexibility when considering your requirements. The widths offered are 1260mm and 1400mm, along with a length of 100-400m/roll.

You are sure to find the design of your choice as we provide wood grain, solid color, marble, brick, and more. And we also provide different surface treatments from matt, super matt, embossed, high gloss, and soft touch, based on your project needs.

At Ilang, we accept OEM and ODM orders. We offer excellent services to meet your expectations.

Applications:

Different Process for different application

Membrane Press (vacuum press)

This process can cover MDF, particleboard, wooden board, fiberboard, etc, for doors, kitchen cabinets, wardrobes, furniture, etc. It can cover embossed board and at the same time cover five surfaces. The thickness can range from 0.20-0.50mm, the width 1260mm or 1400mm, the length 100-300m/roll.

Wrapping Profiles

This process can cover all kinds of profiles such as wood profile, aluminum profile, PVC profile, for door frame, window sill, base channel, PVC ceiling, etc. The thickness can range from 0.12-0.18mm, the width 40-1260mm, the length 300-800m/roll.

Cold Laminating

This process can cover all kinds of flat panels, such as wood panel, steel panel, aluminum panel, PVC panel, for doors and furniture. The thickness can range from 0.12-0.20mm, the width 1240-1260mm, the length 300-500m/roll.

Hot Laminating

This process can cover the PVC panel, steel panel, aluminum panel for doors and skirting. It's thickness can range from 0.16-0.30mm, the width 1260mm, the length 200-300m/roll.

Self-adhesive

This process can be put on any smooth surface for furniture and indoor decorations. It's thickness can range from 0.10-0.20mm, the width 600mm/1220mm, the length 5-50m/roll.

Customization:

Customized service for PVC Furniture Film from Realsun Deco:

Brand Name: Realsun Deco Place of Origin: Foshan, China Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Surface: Glossy, Matte, Embossed, Super Matte, Soft Touchetc.

Packing: Roll Packing, Sheet Packing

Length: 100-400m/roll

Payment Term: T/T, L/C, Paypal, Etc.

Application: Furniture, Door, Cabinet, Wall, Profile, Ceiling Etc.

Specialty: Thermofoil Film for Furniture, Furniture Film, PVC thermofoil Film for Furniture

Support and Services:

We provide technical support and services for PVC Furniture Film. Our technical support team is available 24/7 to answer any of your questions and provide solutions to any problems you may have with the product. We also offer a 30-day money back guarantee if you are not satisfied with the product. In addition, we offer free shipping on orders over \$50. If you have any further questions, please do not hesitate to contact us.

Packing and Shipping:

PVC Furniture Film Packaging and Shipping:

PVC Furniture Film is packaged in roll and wrapped with foam sheet and plastic film.

The film is then securely sealed with a tape.

The roll is then placed in a pallet and sealed for shipping.

Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China